

WARWOOD FORGED TOOLS

FAST MOVING ITEMS

2001



**NO. 1
CUTTER MATTOCK**

Mfg. Code 6 98582	Size	Length	Blade Width	Eye No.	Unhandled Price
00110 4	3 lb.	13"	3"	7	9.95
00120 3	5 lb.	15 ¾"	3 ½"	6	11.85
00130 2	6 lb.	16 ½"	4"	6	14.15
90020 9	Handles Only				6.76



**NO. 2
PICK MATTOCK**

Mfg. Code 6 98582	Size	Length	Blade Width	Eye No.	Unhandled Price
00210 1	5 lb.	19"	3 ½"	6	11.85
00220 0	6 lb.	20"	4"	6	14.15
90020 9	Handles Only				6.76



**NO. 20
GRUB HOE**

Mfg. Code 6 98582	Size	Length	Blade Width	Eye No.	Unhandled Price
02020 4	3 ½ lb.	11 ¼"	3 ¾"	8	14.15
90027 8	Handles Only				6.76



**NO. 30
RAILROAD CLAY PICK**
Point and Chisel Ends

Mfg. Code 6 98582	Size	Length	Eye No.	Unhandled Price
03010 4	5 lb.	21"	6	10.95
03020 3	6 lb.	23"	6	11.20
03030 2	7 lb.	25"	6	12.00
03040 1	8 lb.	26"	6	14.20
03050 0	9 lb.	27"	6	18.20
90020 9	Handles Only			6.76




**NO. 49
DRIFTING PICK**

Mfg. Code 6 98582	Size	Length	Eye No.	Unhandled Price
04910 0	4 lb.	21"	10	13.50
04920 5	5 lb.	25"	10	15.65
90013 1	Handles Only			5.15



**NO. 80
SQUARE HEAD WEDGE**

Mfg. Code 6 98582	Size	Length	Head	Bit	Price
08010 9	3 lb.	7 ½"	1 ½"	1 ¾"	4.80
08020 8	4 lb.	8 ½"	1 ⅝"	1 ⅞"	5.30
08030 7	5 lb.	9"	1 ¾"	2"	5.85
08040 6	6 lb.	10"	1 ⅞"	2 ⅛"	6.45
08050 5	8 lb.	11"	2"	2 ⅜"	9.30



**NO. H-121
WOOD CHOPPERS
MAUL**
Oval Eye

**NO. H-122
WOOD CHOPPERS
MAUL**
Double Bit Axe Eye

Mfg. Code 6 98582	Size		Tool Length	Overall Handle Length	Handled Price
12111 6	6 lb.	H-121 Oval Eye	8 ½"	32"	12.75
12121 5	8 lb.	H-121 Oval Eye	9 ⅛"	32"	16.25
12211 3	6 lb.	H-122 Axe Eye	8 ½"	32"	14.25
12221 2	8 lb.	H-122 Axe Eye	9 ⅛"	32"	17.75



**NO H-124
SHORT HAND DRILLING HAMMER**

Mfg. Code 6 98582	Size	Eye No.	Tool Length	Handle Length	Overall Handled Price
12411 7	2 lb.	2	3 ½"	10 ¾"	8.85
12421 6	3 lb.	2	4"	10 ¾"	10.55
12431 5	4 lb.	2	4 ½"	10 ¾"	11.10

PROTECT YOUR EYES - Wear Safety Goggles

WARWOOD *FAST MOVING ITEMS*



**NO. H-128
MASON HAMMER**

Mfg. Code 6 98582	Size	Eye No.	Tool Length	Overall Handle Length	Handled Price
12811 5	3 lb.	3	6 1/4"	16"	16.68
12821 4	4 lb.	3	6 3/4"	16"	17.54
12831 3	6 lb.	3	7 3/4"	16"	25.45



**NO. H-136
NAPPING HAMMER**

Mfg. Code 6 98582	Size	Eye No.	Overall Tool Length	Handle Length	Handled Price
13611 0	3 lb.	2	5 3/4"	16"	16.29
13621 9	4 lb.	2	6 1/4"	16"	18.24
13631 8	6 lb.	2	6 3/4"	32"	23.85



**NO. H-131
STONE SLEDGE**

Mfg. Code 6 98582	Size	Eye No.	Tool Length	Overall Handle Length	Handled Price
13121 4	8 lb.	2	7 1/4"	32"	33.74
13141 2	12 lb.	2	8 1/4"	36"	35.70



**NO. H-132
CROSS PEIN SLEDGE**

Mfg. Code 6 98582	Size	Eye No.	Tool Length	Overall Handle Length	Handled Price
13211 2	2 lb.	2	4 5/8"	16"	8.86
13221 1	2 1/2 lb.	2	5"	16"	9.17
13231 0	3 lb.	2	5 1/4"	16"	9.74
13241 9	4 lb.	2	6"	16"	10.05
13261 7	8 lb.	2	7"	32"	24.28
13271 6	12 lb.	2	8"	36"	30.48



**NO. H-134
DOUBLE FACE SLEDGE**

Mfg. Code 6 98582	Size	Eye No.	Tool Length	Overall Handle Length	Handled Price
13411 7	2 lb.	2	4 1/4"	16"	9.23
13421 5	2 1/2 lb.	2	4 1/2"	16"	9.61
13431 4	3 lb.	2	4 3/4"	16"	10.00
13441 3	4 lb.	2	5 1/4"	16"	10.37
13451 2	6 lb.	2	6"	32"	12.61
13461 1	8 lb.	2	6 1/2"	32"	15.18
13471 0	10 lb.	2	7"	36"	18.46
13481 9	12 lb.	2	7 1/2"	36"	20.70
13491 8	16 lb.	2	8 1/4"	36"	28.83
13401 7	20 lb.	2	8 3/4"	36"	38.22



**NO. 160
PINCH POINT CROW BAR**



**NO. 161
WEDGE POINT CROW BAR**



**NO. 162
DIAMOND POINT CROW BAR**

Mfg. Code 6 98582	Size	Length	Stock	Price
16120 4	6 lb.	48"	7/8"	13.01
16130 3	10 lb.	48"	1"	16.15
16140 2	12 lb.	51"	1 1/8"	17.31
16150 1	14 lb.	54"	1 1/8"	19.38
16160 0	16 lb.	57"	1 1/4"	22.06
16170 9	18 lb.	60"	1 1/4"	23.01
16180 8	22 lb.	64"	1 3/8"	28.62
16190 7	26 lb.	66"	1 1/2"	34.93



**NO. 164
TELEGRAPH DIGGING BAR**

Mfg. Code 6 98582	Size	Length	Stock	Bit Width	Price
16400 7	21 lb.	72"	1 1/8" Hex	2 1/8"	37.20
16410 6	28 lb.	96"	1 1/8" Hex	2 3/8"	48.17



**NO. SP-164
SAN ANGELO DIGGING BAR**

Mfg. Code 6 98582	Size	Length	Stock	Bit Width	Price
26440 0	14 lb.	60"	1" Hex	2 1/8"	17.91
26450 9	17 lb.	72"	1" Hex	2 1/8"	22.07
26460 8	20 lb.	84"	1" Hex	2 1/8"	23.85

WARWOOD *FAST MOVING ITEMS*



**NO. 165
POST HOLD DIGGER AND TAMPING BAR**

Mfg. Code 6 98582	Size	Length	Stock	Blade	Width	Price
16510 4	17 lb.	72"	1"	2 1/2" x 10"	2 1/2"	22.17
16500 3	13 lb.	54"	1"	2 1/2" x 10"	2 1/2"	16.75




**NO. 166
WARWOOD STANDARD
WRECKING BAR**

Mfg. Code 6 98582	Size	Length	Stock	Weight	Price
16610 0	1/2" x 12"	12"	1/2"	1 lb.	1.66
16620 9	5/8" x 18"	18"	5/8"	2 lb.	2.43
16630 8	3/4" x 24"	24"	3/4"	3 1/2" lb.	3.53
16640 7	3/4" x 30"	30"	3/4"	4 1/4" lb.	4.46
16650 6	3/4" x 36"	36"	3/4"	5 1/4" lb.	4.90
16660 5	7/8" x 36"	36"	7/8"	7 1/2" lb.	9.31
16670 4	1" x 48"	48"	1"	12 1/2" lb.	16.21



**NO. 167
ANCHOR EXTRACTOR**

Mfg. Code 6 98582	Size	Length	Stock	Price
16750 3	1 lb.	9"	5/8"	4.88



**NO. 172
STRIPPING BAR
Claw and Chisel Ends**

Mfg. Code 6 98582	Size	Length	Stock	Chisel End	Price
17220 0	8 1/2" lb.	42"	7/8" Hex	1" Wide	18.78
17230 9	12 1/2 lb.	48"	1" Hex	1 1/8" Wide	23.66



**NO. 173
STRIPPING BAR
Double Chisel Ends**

Mfg. Code 6 98582	Size	Length	Stock	Chisel End	Price
17320 7	8 1/2 lb.	42"	7/8" Hex	1" Wide	14.92
17330 6	12 1/2 lb.	48"	1" Hex	1 1/8" Wide	17.87



**NO. 176
WAREHOUSE LOADING BAR OR JIMMY BAR**

Mfg. Code 6 98582	Size	Length	Stock	Price
17610 9	14 lb.	54"	1 1/8" Sq.	22.58
17620 8	18 lb.	60"	1 1/4" Sq.	27.34
17630 7	26 lb.	66"	1 1/2" Sq.	40.10



**NO. 334
DRIFT PIN**

Mfg. Code 6 98582	Size of Swell	Length	For Hole	Weight	Price
33420 2	9/16" Dia.	6 1/2"	1/2" Dia.	1/4 lb.	2.44
33430 1	11/16" Dia.	7"	5/8" Dia.	1/2 lb.	2.72
33440 0	13/16" Dia.	7 1/2"	3/4" Dia.	3/4 lb.	3.17
33450 9	15/16" Dia.	8"	7/8" Dia.	1 lb.	3.23
33460 8	1 1/16" Dia.	8 1/2"	1" Dia.	1 1/2 lb.	3.45
33470 7	1 3/16" Dia.	9"	1 1/8" Dia.	2 lb.	5.27
33480 6	1 5/16" Dia.	11"	1 1/4" Dia.	3 1/4 lb.	5.79



**NO. 510
SLATE BAR**

Mfg. Code 6 98582	Size	Length	Stock	Chisel End	Price
51010 1	11 lb.	48"	1" Hex	1 1/8" Wide	13.11
51020 0	12 1/2 lb.	54"	1" Hex	1 1/8" Wide	14.02
51030 9	14 lb.	60"	1" Hex	1 1/8" Wide	17.47



**NO. 454
MANHOLE COVER LIFTERS**

Mfg. Code 6 98582	Size	Length	Price
45410 8	2 3/4 lb.	5/8" x 18"	6.38
45420 7	3 lb.	5/8" x 26"	7.18
45425 2	3 1/2 lb.	5/8" x 30"	8.66
45430 6	4 lb.	5/8" x 36"	10.05
45440 5	4 1/2 lb.	3/4" x 26"	10.70
45460 3	5 1/4 lb.	3/4" x 36"	15.29

WARWOOD TOOL COMPANY

P.O. BOX 6357 WHEELING, WEST VIRGINIA 26003-0614

PHONE 877/687-1410

FAX 304/277-1420

Web page: www.warwoodtool.com

E-mail: sales@warwoodtool.com

UNIFORM PRODUCT CODE AND BAR CODING. Warwood Tool Company's (U.P.C.) Uniform Product Code No. is as follows: 6 98582 (Manufacturer Code) plus our five digit (Product Number) and one digit (Check Digit Number).

GENERAL TERMS AND CONDITIONS

Payment Terms: 2% discount, 15 days from date of invoice, net 30 days. Past due accounts will be subject to a service charge of 1 ½% per month.

Shipping Terms: Full freight will be allowed on shipments of 1,000 lbs. or more to any point in the Continental United States. Warwood Tool reserves the right to ship via the least expensive route.

Minimum Invoice Charge: Our minimum order and invoice charge is \$75.00.

Returned Goods: No merchandise is to be returned without Warwood Authorization. Returned goods, when authorized, must be returned prepaid freight. Credit will be issued at invoice price at time of shipment less 15% restocking charge, plus cost of initial outgoing freight. If it is necessary to recondition or repackage returned goods, additional charges will be assessed. Credit for returned goods may be applied only toward the purchase of other Warwood Products. Credits cannot be applied for cash rebates.

Shortage or Damage: In the event of any shortage or damages, notify at once the delivery transportation agent. File claim properly and be certain all shortage and damaged goods are signed and noted on the freight bill at the time of delivery.

Losses and damages which occur in transit are the carrier's responsibility, and such claims should be filed with the carrier.

Packaging: Most items are packed (5) per carton, items 3 lb. and less are packed (10) per carton, large bars are strapped in units according to sizes.

Disclaimer: Warwood Tool Company makes no warranty, express, implied or statutory, including any implied warranty of merchantability and/or fitness for any particular purpose, with respect to any of its tools. In addition, Warwood Tool Company shall not be liable for any damages arising out of or occasioned by the selection, application, use or operation of its tools.

Specifications: Specifications and plans in this catalog include those published by the American National Standards Institute, Inc. (A.N.S.I.) and/or American Railway Engineering Association (A.R.E.A.) and/or Federal Specifications and/or the United States Department of Commerce Simplified Practice Recommendations (heavy forged hand tools) unless otherwise specified. If ordering to American Railway Engineering Association Specifications designate AREA Plan, Type and Grade of steel desired.

Warning: Always wear safety goggles when using striking or struck tools, or when near someone else who is doing so. Discard any striking or struck tool if tool shows chips, cracks, dents, mushrooming or excessive wear. The misuse or abuse of hand tools can result in serious bodily or eye injury. If you are uncertain as to the proper use of any of our hand tools write or e-mail us and we will send you our safety booklet on the proper use of hand tools as published by the Hand Tools Institute.